

## BRISK - CLASSIC

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
K17Y	0.6	Gasket	Max.150 hours	M14x1.25	9.5mm	21mm	No	Yes	20-30Nm
K19	0.6	Gasket	Max.150 hours	M14x1.25	9.5mm	21mm	No	No	20-30Nm
J17	0.75	Gasket	Max.150 hours	M14x1.25	9.5mm	21mm	No	No	20-30Nm
J19	0.75	Gasket	Max.150 hours	M14x1.25	9.5mm	21mm	No	No	20-30Nm
JR17	0.75	Gasket	Max.150 hours	M14x1.25	9.5mm	21mm	Yes	No	20-30Nm
JR19	0.75	Gasket	Max.150 hours	M14x1.25	9.5mm	21mm	Yes	No	20-30Nm
L17	0.7	Gasket	Max.20,000km	M14x1.25	19mm	21mm	No	No	20-30Nm
L19	0.7	Gasket	Max.20,000km	M14x1.25	19mm	21mm	No	No	20-30Nm
L14Y	0.7	Gasket	Max.20,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
L15Y	0.7	Gasket	Max.20,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
L17Y	0.7	Gasket	Max.20,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
N14	0.7	Gasket	Max.20,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N17	0.7	Gasket	Max.20,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N19	0.7	Gasket	Max.20,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N15Y	0.7	Gasket	Max.20,000km	M14x1.25	12.7mm	21mm	No	Yes	20-30Nm
N17Y	0.7	Gasket	Max.20,000km	M14x1.25	12.7mm	21mm	No	Yes	20-30Nm
P15	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	No	No	20-30Nm
P17	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	No	No	20-30Nm
PR15	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	Yes	No	20-30Nm
PR17	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	Yes	No	20-30Nm
P15Y	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	No	Yes	20-30Nm
P17Y	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	No	Yes	20-30Nm
P18Y	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	No	Yes	20-30Nm
PR15Y	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	Yes	Yes	20-30Nm
PR17Y	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	Yes	Yes	20-30Nm
PR18Y	0.6	Gasket	Max.150 hours	M14x1.25	9 mm	19mm	Yes	Yes	20-30Nm
U15	0.6	Tapered	Max.150 hours	M14x1.25	7.8 mm	16mm	No	No	10-20Nm
U17	0.6	Tapered	Max.150 hours	M14x1.25	7.8 mm	16mm	No	No	10-20Nm
UR15	0.6	Tapered	Max.150 hours	M14x1.25	7.8 mm	16mm	Yes	No	10-20Nm
UR17	0.6	Tapered	Max.150 hours	M14x1.25	7.8 mm	16mm	Yes	No	10-20Nm
U17Y	0.6	Tapered	Max.150 hours	M14x1.25	7.8 mm	16mm	No	Yes	10-20Nm
UR17Y	0.6	Tapered	Max.150 hours	M14x1.25	7.8 mm	16mm	Yes	Yes	10-20Nm

## BRISK - SUPER

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
------	-----	------	-------------	--------	-------	-----	----------	-----------	-------------------

B10C	0.7	Gasket	Max.30,000km	M12x1.25	19mm	18mm	No	No	15-20Nm
B12C	0.7	Gasket	Max.30,000km	M12x1.25	19mm	18mm	No	No	15-20Nm
B14C	0.7	Gasket	Max.30,000km	M12x1.25	19mm	18mm	No	No	15-20Nm
B12YC	0.6	Gasket	Max.30,000km	M12x1.25	19mm	16mm	No	Yes	15-20Nm
B14YC	0.6	Gasket	Max.30,000km	M12x1.25	19mm	16mm	No	Yes	15-20Nm
BR12YC	0.6	Gasket	Max.30,000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BR12YC-9	0.9	Gasket	Max.30,000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BR14YC	0.6	Gasket	Max.30,000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BR14YC-9	0.9	Gasket	Max.30,000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BR15YC	0.6	Gasket	Max.30,000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
D12YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	No	Yes	20-30Nm
D14YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	No	Yes	20-30Nm
D15YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	No	Yes	20-30Nm
D15YC-1	1.1	Gasket	Max.30,000km	M14x1.25	19mm	16mm	No	Yes	20-30Nm
D17YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	No	Yes	20-30Nm
DR15LC-1	1.1	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR17LC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR17LC-9	0.9	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR17LC-1	1.1	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR12YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR14YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR14YC-1	1.1	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15YC-9	0.9	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15YC-1	1.0	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17YC-9	0.9	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17YC-1	1.0	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR15YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR15YC-1	1.0	Gasket	Max.30,000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
ER15YC-1	1.0	Gasket	Max.30,000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
ER17YC-9	0.9	Gasket	Max.30,000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
F14YC	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	No	Yes	20-30Nm
F15YC	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	No	Yes	20-30Nm
F17YC	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	No	Yes	20-30Nm
FR15C	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	Yes	Yes	20-30Nm
FR17C	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	Yes	Yes	20-30Nm
FR14YC	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	Yes	Yes	20-30Nm
FR15YC	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	Yes	Yes	20-30Nm
FR17YC	0.6	Tapered	Max.30,000km	M18x1.50	11.2mm	21mm	Yes	Yes	20-30Nm
G12YC	0.7	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	No	Yes	10-20Nm
G14YC	0.7	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	No	Yes	10-20Nm
G15YC	0.7	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	No	Yes	10-20Nm

G17YC	0.7	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	No	Yes	10-20Nm
GR14YC	0.7	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR15YC	0.7	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR15YC-1	1.1	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR17YC	0.7	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR17YC-1	1.0	Tapered	Max.30,000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
HR14YC	0.7	Tapered	Max.30,000km	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
HR15YC	0.8	Tapered	Max.30,000km	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
HR17YC	0.7	Tapered	Max.30,000km	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
HR19YC-1	1.1	Tapered	Max.30,000km	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
K17C	0.6	Gasket	Max.30,000km	M14x1.25	9.5mm	21mm	No	No	20-30Nm
K15YC	0.5	Gasket	Max.30,000km	M14x1.25	9.5mm	21mm	No	Yes	20-30Nm
KR17C	0.7	Gasket	Max.30,000km	M14x1.25	9.5mm	21mm	No	Yes	20-30Nm
L14C	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	No	20-30Nm
L15C	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	No	20-30Nm
L17C	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	No	20-30Nm
LR12C	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR14C	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR15C	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR17C	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
L12YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
L14YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
L15YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
L15YC-1	1.1	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
L17YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
L17YC-1	1.1	Gasket	Max.30,000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
LR12YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR14YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR14YC-1	1.0	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR15YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR15YC-9	0.9	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR15YC-1	1.0	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR17YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR17YC-9	0.9	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LR17YC-1	1.1	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LOR15YC	0.7	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LOR15YC-1	1.0	Gasket	Max.30,000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
MR14LC	0.9	Gasket	Max.30,000km	M12x1.25	26.5mm	14mm	Yes	Extra	15-20Nm
N12C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N14C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N14C-1	1.0	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N15C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N17C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm

N19C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	No	20-30Nm
NAR14C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NAR17C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NR12C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NR14C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NR14C-1	1.0	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NR15C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NR17C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
N12YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	Yes	20-30Nm
N14YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	Yes	20-30Nm
N15YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	Yes	20-30Nm
N17YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	No	Yes	20-30Nm
NR12YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	Yes	20-30Nm
NR14YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	Yes	20-30Nm
NR15YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	Yes	20-30Nm
NR17YC	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	Yes	20-30Nm
NOR15C	0.7	Gasket	Max.30,000km	M14x1.25	12.7mm	21mm	Yes	Yes	20-30Nm
PR15YC	0.55	Gasket	Max.150hours	M14x1.25	9mm	19mm	Yes	Yes	20-30Nm
PR17YC	0.55	Gasket	Max.150hours	M14x1.25	9mm	19mm	Yes	Yes	20-30Nm
PR17YC	0.55	Gasket	Max.150hours	M14x1.25	9mm	19mm	Yes	Yes	20-30Nm
QR14LC-8	0.8	Gasket	Max.30,000km	M12x1.25	26.5mm	16mm	Yes	Extra	15-20Nm
QR15LC-1	0.95	Gasket	Max.30,000km	M12x1.25	26.5mm	16mm	Yes	Extra	15-20Nm
RR15YC-1	1.1	Tapered	Max.30,000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
SR14C	0.55	Gasket	Max.150hours	M10x1.00	9.5mm	16mm	Yes	No	10-15Nm
SR15C	0.55	Gasket	Max.150hours	M10x1.00	9.5mm	16mm	Yes	No	10-15Nm
TR14C	0.55	Gasket	Max.150hours	M10x1.00	12.7mm	16mm	Yes	No	10-15Nm
TR15C	0.55	Gasket	Max.150hours	M10x1.00	12.7mm	16mm	Yes	No	10-15Nm
TR17C	0.55	Gasket	Max.150hours	M10x1.00	12.7mm	16mm	Yes	No	10-15Nm
3VR14C	0.8	Tapered	Max.30,000km	M16x1.5	12.7mm	16mm	Yes	No	10-20Nm
3VR17YC	0.8	Tapered	Max.30,000km	M16x1.5	20.5mm	14.2mm	Yes	Yes	10-20Nm

### BRISK - EXTRA

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
DOX15LE-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR15LDC	0.8	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR15LDC-1	1.0	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR17LDC	0.8	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR17LDC-1	1.0	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
DR14TC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DR15TC	0.8	Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm

DR15TC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DR17TC	0.8	Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DR17TC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DX15LTC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	Extra	20-30Nm
LR15LTC	0.8	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	Extra	20-30Nm
LR14TC	0.8	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR14TC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR15TC	0.8	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR15TC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR17TC	0.8	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR17TC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LX15LTC-1	1.0	Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	Extra	20-30Nm

### BRISK - PLATIN

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
BR12YP	0.7	Gasket	Max.90.000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
DR12YP	0.8	Gasket	Max.90.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR14YP	0.8	Gasket	Max.90.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR14YP-1	1.0	Gasket	Max.90.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15YP	0.8	Gasket	Max.90.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15YP-1	1.0	Gasket	Max.90.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17YP	0.8	Gasket	Max.90.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17YP-1	1.0	Gasket	Max.90.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
ER17YP-1	1.0	Gasket	Max.90.000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
GR17LPP-5	1.5	Tapered	Max.90.000km	M14x1.25	17.5mm	16mm	Yes	Extra	10-20Nm
GR15YP-1	1.0	Tapered	Max.90.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR15YP-3	1.3	Tapered	Max.90.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR17YP-3	1.3	Tapered	Max.90.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR17YP-5	1.5	Tapered	Max.90.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR19YPP-5	1.5	Tapered	Max.90.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
LR14YP	0.8	Gasket	Max.90.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR14YP-1	1.0	Gasket	Max.90.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR15YP	0.8	Gasket	Max.90.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR15YP-1	1.0	Gasket	Max.90.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR17YP	0.8	Gasket	Max.90.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR17YP-1	1.0	Gasket	Max.90.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
MR15LP-1	1.0	Gasket	Max.90.000km	M12x1.25	26.5mm	14mm	Yes	Yes	20-30Nm

## BRISK - IRIIDIUM

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resisitor	Projected	Tightening Torque
P1	0.9	Gasket	Max.100.000km	M14x1.25	22mm	16mm	Yes	Yes	20-30Nm
P2	1.0	Gasket	Max.100.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
P3	1.0	Gasket	Max.100.000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
P4	0.8	Gasket	Max.100.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
P5	1.0	Tapered	Max.100.000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
P6	1.1	Tapered	Max.100.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
P7	1.0	Gasket	Max.100.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
P8	0.9	Gasket	Max.100.000km	M12x1.25	26.5mm	14mm	Yes	Yes	10-20Nm
P9	0.8	Gasket	Max.100.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
P10	0.8	Gasket	Max.100.000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
P11	1.0	Gasket	Max.100.000km	M14x1.25	26.5mm	14mm	Yes	Yes	15-20Nm
P21	0.9	Gasket	Max.100.000km	M14x1.25	22mm	16mm	Yes	Yes	20-30Nm
P22	0.8	Gasket	Max.100.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
P23	1.3	Tapered	Max.100.000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
P24	1.3	Tapered	Max.100.000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
P25	1.3	Tapered	Max.100.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm

## BRISK - A-LINE

### Single ground electrode

Type1	Type2	Gap	Seat	Replacement	Thread	Reach	Hex	Resisitor	Projected	Tightenig Torque
A-line2	LR15YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
A-line3	NR15YCY	0.7	Gasket	Max.45.000km	M14x1.25	12.7mm	21mm	Yes	Yes	20-30Nm
A-line4	L15YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
A-line5	G15YCY	0.75	Tapered	Max.45.000km	M14x1.25	17.5mm	16mm	No	Yes	10-20Nm
A-line6	LR17YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
A-line7	GR15YCY	0.75	Tapered	Max.45.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
A-line8	L17YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	21mm	No	Yes	20-30Nm
A-line9	LR17YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
Aline10	LR15YCY-1	1.1	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
A-line11	DR15YCY-1	1.1	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line12	DR15YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line13	LR15YCY-1	1.1	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm

A-line14	DR15YCY-1	1.1	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line15	LR17YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
A-line16	D17YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	16mm	No	Yes	20-30Nm
A-line17	D15YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	16mm	No	Yes	20-30Nm
A-line18	N15YCY	0.75	Gasket	Max.45.000km	M14x1.25	21mm	12.7mm	NO	Yes	20-30Nm
A-line19	LR14YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
A-line28	DR15YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line32	DR17YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line33	DR14YCY	0.75	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line34	DR14YCY-1	1.1	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line36	DR17YCY-1	1.1	Gasket	Max.45.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line38	LR17YCY-1	1.1	Gasket	Max.45.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm

**BRISK - A-LINE**

**Double ground electrode**

Type1	Type2	Gap	Seat	Replacement	Thread	Reach	Hex	Resisitor	Projected	Tightenig Torque
A-line20	DR15LDCY	0.8	Gasket	Max.55.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line23	DR17LDCY	0.8	Gasket	Max.55.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line26	DR15LDCY	0.8	Gasket	Max.55.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm

**BRISK - A-LINE**

**Triple ground electrode**

Type1	Type2	Gap	Seat	Replacement	Thread	Reach	Hex	Resisitor	Projected	Tightenig Torque
A-line1	LR15TCY	0.8	Gasket	Max.70.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
A-line21	LR17TCY-1	1.0	Gasket	Max.70.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
A-line22	LR17TCY	0.8	Gasket	Max.70.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
A-line24	DR15TCY	1.0	Gasket	Max.70.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line27	DR15TCY	0.8	Gasket	Max.70.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line29	DR17TCY	0.8	Gasket	Max.70.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line37	LR15TCY-1	1.0	Gasket	Max.70.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm

**BRISK - A-LINE**  
**Yttrium/Platin**

Type1	Type2	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
A-line25	RR15YPY-1	1.1	Tapered	Max.100.000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
A-line31	GR17YPY-1	1.1	Tapered	Max.100.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
A-line35	DR15YPY-1	1.1	Gasket	Max.100.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
A-line39	LR17YPY	0.8	Gasket	Max.100.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
A-line40	ER15YPY-1	1.0	Gasket	Max.100.000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm

**BRISK - Silver**

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
AR12YS	0.55	Gasket	Max.30.000km	M10x1.00	19mm	16mm	Yes	Yes	10-15Nm
AR14YS	0.7	Gasket	Max.30.000km	M10x1.00	19mm	16mm	Yes	Yes	10-15Nm
BR12S	0.55	Gasket	Max.30.000km	M12x1.25	19mm	16mm	Yes	No	15-20Nm
BR14S	0.7	Gasket	Max.30.000km	M12x1.25	19mm	16mm	Yes	No	15-20Nm
BR14YS	0.7	Gasket	Max.30.000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BR15YS	0.7	Gasket	Max.30.000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
DOR15YS	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR15YS-1	1.0	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR14S	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DR15S	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DR14YS	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR14YS-9	0.9	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15YS	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15YS-9	0.9	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17YS	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17YS-9	0.9	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
ER15YS-9	0.9	Gasket	Max.30.000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
GR14YS	0.7	Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR15YS	0.7	Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR15YS-9	0.9	Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR17YS	0.8	Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
HR14YS	0.8	Tapered	Max.30.000km or 50hours	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
HR15YS	0.8	Tapered	Max.30.000km	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm



			or 50hours						
LR14S	0.7	Gasket	Max.30.000km or 50hours	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR15S	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
LR12YS	0.7	Gasket	Max.30.000km or 50hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
LR14YS	0.7	Gasket	Max.30.000km or 50hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
LR15YS	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
LR15YS-9	0.9	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
LR17YS	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
LR17YS-9	0.9	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
LOR15YS	0.7	Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
MR12YS-9	0.9	Gasket	Max.30.000km or 50hours	M12x1.25	26.5mm	14mm	Yes	Yes	15-20Nm
NR12S	0.55	Gasket	Max.30.000km or 50hours	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NR14S	0.55	Gasket	Max.30.000km or 50hours	M14x1.25	12.7mm	21mm	Yes	No	20-30Nm
NR15S	0.55	Gasket	Max.30.000km	M14x1.25	12.7mm	16mm	Yes	No	20-30Nm
NAR12YS	0.7	Gasket	Max.30.000km	M10x1.00	12.7mm	16mm	Yes	Yes	10-15Nm
NAR14YS	0.7	Gasket	Max.30.000km	M10x1.00	12.7mm	16mm	Yes	Yes	10-15Nm
NAR15YS	0.7	Gasket	Max.30.000km	M10x1.00	12.7mm	16mm	Yes	Yes	10-15Nm
QR15LS	0.7	Gasket	Max.30.000km	M12x1.25	26.5mm	16mm	Yes	Extra	15-20Nm
RR15YS	0.7	Tapered	Max.30.000km	M14x1.25	25mm	16mm	Yes	Yes	10-15Nm
RR15YS-9	0.9	Tapered	Max.30.000km	M14x1.25	25mm	16mm	Yes	Yes	10-15Nm
RR15YS-1	1.0	Tapered	Max.30.000km	M14x1.25	25mm	16mm	Yes	Yes	10-15Nm
RR17YS-1	1.0	Tapered	Max.30.000km	M14x1.25	25mm	16mm	Yes	Yes	10-15Nm
3VR17YS	0.8	Tapered	Max.30.000km	M16x1.25	20.5mm	14.2mm	Yes	Yes	10-15Nm

## BRISK - EVO

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
DR15SXC		Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR17SXC		Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15BSXC		Gasket	Max.60.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
ER15SXC		Gasket	Max.60.000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
GR15SXC		Tapered	Max.60.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
LR15SXC		Gasket	Max.60.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
RR15SXC		Tapered	Max.60.000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm

RR15BSXC		Tapered	Max.60.000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
----------	--	---------	--------------	----------	------	------	-----	-----	---------

## BRISK - SILVER Racing

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
A08S	0.7	Gasket	Max. 30.000km	M10x1.00	19mm	16mm	No	No	10-15Nm
A10S	0.7	Gasket	Max. 30.000km	M10x1.00	19mm	16mm	No	No	10-15Nm
AR08S	0.7	Gasket	Max. 30.000km	M10x1.00	19mm	16mm	Yes	No	10-15Nm
AR10S	0.7	Gasket	Max. 30.000km	M10x1.00	19mm	16mm	Yes	No	10-15Nm
AR10S-9	0.9	Gasket	Max. 30.000km	M10x1.00	19mm	16mm	Yes	No	10-15Nm
A12YS	0.7	Gasket	Max. 30.000km	M10x1.00	19mm	16mm	No	Yes	10-15Nm
A14YS	0.7	Gasket	Max. 30.000km	M10x1.00	19mm	16mm	No	Yes	10-15Nm
B10S	0.7	Gasket	Max. 30.000km	M12x1.25	19mm	16mm	No	No	15-20Nm
B12S	0.7	Gasket	Max. 30.000km	M12x1.25	19mm	16mm	No	No	15-20Nm
B14S	0.7	Gasket	Max. 30.000km	M12x1.25	19mm	16mm	No	No	15-20Nm
BR10S	0.7	Gasket	Max. 30.000km	M12x1.25	19mm	16mm	Yes	No	15-20Nm
BR12S	0.7	Gasket	Max. 30.000km	M12x1.25	19mm	16mm	Yes	No	15-20Nm
BR10YS	0.7	Gasket	Max. 30.000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BR10YS-9	0.9	Gasket	Max. 30.000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
CR10YS	0.7	Gasket	Max. 30.000km	M10x1.00	26.5mm	14mm	Yes	Yes	10-15Nm
D08S	0.7	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	No	No	20-30Nm
D10S	0.7	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	No	No	20-30Nm
D12S	0.7	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	No	No	20-30Nm
DOR12YS-1	1.0	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR08S	0.7	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DR10S	0.7	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DR12S	0.7	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	Yes	No	20-30Nm
D12YS	0.7	Gasket	Max. 30.000km	M14x1.25	19mm	16mm		Yes	20-30Nm
DR12YS	0.75	Gasket	Max. 30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
ER12S	0.75	Gasket	Max. 30.000km	M14x1.25	26.5mm	16mm	Yes		20-30Nm
ER14S	0.7	Gasket	Max. 30.000km or 50hours	M14x1.25	26.5mm	16mm	Yes		20-30Nm
ER14YS	0.7	Gasket	Max. 30.000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
G08S	0.7	Tapered	Max. 50 hours	M14x1.25	17.5mm	16mm	No	No	10-20Nm
G12S	0.7	Tapered	Max. 50 hours	M14x1.25	17.5mm	16mm	No	No	10-20Nm
GR08S	0.7	Tapered	Max. 50 hours	M14x1.25	17.5mm	16mm	Yes	No	10-20Nm
GR10S	0.7	Tapered	Max. 50 hours	M14x1.25	17.5mm	16mm	Yes	No	10-20Nm
GR12S	0.7	Tapered	Max. 50 hours	M14x1.25	17.5mm	16mm	Yes	No	10-20Nm
GR14S	0.7	Tapered	Max. 50 hours	M14x1.25	17.5mm	16mm	Yes	No	10-20Nm
G14YS	0.7	Tapered	Max. 50 hours	M14x1.25	17.5mm	16mm	No	Yes	10-20Nm

H08S	0.7	Tapered	Max. 50 hours	M14x1.25	11.2mm	16mm	No	No	10-20Nm
L08S	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	No	No	20-30Nm
L10S	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	No	No	20-30Nm
L11S	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	No	No	20-30Nm
L10SL	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	No	No	20-30Nm
L11SL	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	No	No	20-30Nm
LR10S	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR11S	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR10SL	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR11SL	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	Yes	No	20-30Nm
LR12SL	0.6	Gasket	Max. 50 hours	M14x1.25	19mm	21mm	Yes	No	20-30Nm
MR12LS	0.9	Gasket	Max. 50 hours	M12x1.25	26.5mm	14mm	Yes	Extra	15-20Nm
MR10S	0.7	Gasket	Max. 50 hours	M12x1.25	26.5mm	14mm	Yes	No	15-20Nm
MR12S	0.7	Gasket	Max. 50 hours	M12x1.25	26.5mm	14mm	Yes	No	15-20Nm
MR12YS	0.6	Gasket	Max. 50 hours	M12x1.25	26.5mm	14mm	Yes	Yes	15-20Nm
MR12YS-6	0.6	Gasket	Max. 50 hours	M12x1.25	26.5mm	14mm	Yes	Yes	15-20Nm
N10S	0.6	Gasket	Max. 50 hours	M14x1.25	12.7mm	21mm	No	No	20-30Nm
N11S	0.6	Gasket	Max. 50 hours	M14x1.25	12.7mm	21mm	No	No	20-30Nm
QR08S	0.55	Gasket	Max. 50 hours	M12x1.25	26.5mm	16mm	Yes	No	15-20Nm
QR10S	0.55	Gasket	Max. 50 hours	M12x1.25	26.5mm	16mm	Yes	No	15-20Nm
QR12LS	0.65	Gasket	Max. 50 hours	M12x1.25	26.5mm	16mm	Yes	Extra	15-20Nm
QR14LS	0.65	Gasket	Max. 50 hours	M12x1.25	26.5mm	16mm	Yes	Extra	15-20Nm
RR08S	0.75	Tapered	Max. 50 hours	M14x1.25	25mm	16mm	Yes	No	10-20Nm
RR10S	0.75	Tapered	Max. 50 hours	M14x1.25	25mm	16mm	Yes	No	10-20Nm
RR12S	0.75	Tapered	Max. 50 hours	M14x1.25	25mm	16mm	Yes	No	10-20Nm
RR14S	0.75	Tapered	Max. 50 hours	M14x1.25	25mm	16mm	Yes	No	10-20Nm
RR14YS	0.7	Tapered	Max. 50 hours	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
XOR12YS-1	1.0	Tapered	Max. 50 hours	M12x1.25	25.7mm	14mm	Yes	Yes	10-20Nm
XOR14YS-1	1.0	Tapered	Max. 50 hours	M12x1.25	25.7mm	14mm	Yes	Yes	10-20Nm
3VR08S	0.8	Tapered	Max. 50 hours	M16x1.25	20.5mm	14.2mm	Yes	No	10-20Nm
3VR10S	0.8	Tapered	Max. 50 hours	M16x1.25	20.5mm	14.2mm	Yes	No	10-20Nm
3VR12S	0.8	Tapered	Max. 50 hours	M16x1.25	20.5mm	14.2mm	Yes	No	10-20Nm
3VR14S	0.8	Tapered	Max. 30.000km or 50 hours	M16x1.25	20.5mm	14.2mm	Yes	No	10-20Nm

### BRISK - Premium LGS

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
AOR10LGS		Gasket	Max.30.000km or 50 hours	M10X1.00	19mm	16mm	Yes	Yes	10-15Nm

AOR12LGS		Gasket	Max.30.000km or 50 hours	M10X1.00	19mm	16mm	Yes	Yes	10-15Nm
AOR14LGS		Gasket	Max.30.000km	M10X1.00	19mm	16mm	Yes	Yes	10-15Nm
BOR10LGS		Gasket	Max.30.000km or 50 hours	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BOR12LGS		Gasket	Max.30.000km or 50 hours	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
BOR14LGS		Gasket	Max.30.000km	M12x1.25	19mm	16mm	Yes	Yes	15-20Nm
COR12LGS		Gasket	Max.30.000km or 50 hours	M10X1.00	26.5mm	14mm	Yes	Yes	10-15Nm
DOR08LGS		Gasket	Max.30.000km or 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR10LGS		Gasket	Max.30.000km or 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR12LGS		Gasket	Max.30.000km or 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR14LGS		Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR15LGS		Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR17LGS		Gasket	Max.30.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
EOR14LGS		Gasket	Max.30.000km or 50 hours	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
EOR15LGS		Gasket	Max.30.000km	M14x1.25	26.5mm	16mm	Yes	Yes	20-30Nm
GOR14LGS		Tapered	Max.30.000km or 50 hours	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GOR15LGS		Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GOR15LGS-T		Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GOR17LGS		Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GOR19LGS		Tapered	Max.30.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
HOR14LGS		Tapered	Max.30.000km or 50 hours	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
HOR15LGS		Tapered	Max.30.000km	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
HOR17LGS		Tapered	Max.30.000km	M14x1.25	11.2mm	16mm	Yes	Yes	10-20Nm
HOR19LGS		Tapered	Max.30.000km	M14x1.25	11.2mm	21mm	Yes	Yes	10-20Nm
LOR12LGS		Gasket	Max.30.000km or 50 hours	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LOR14LGS		Gasket	Max.30.000km or 50 hours	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LOR15LGS		Gasket	Max.30.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
LOR17LGS		Gasket	Max.30.000km	M14x1.25	19mm	21mm	Yes	Yes	20-30Nm
NAOR10LGS		Gasket	Max.30.000km or 50 hours	M10x1.00	12.7mm	16mm	Yes	Yes	10-15Nm
NAOR12LGS		Gasket	Max.30.000km or 50 hours	M10x1.00	12.7mm	16mm	Yes	Yes	10-15Nm
NAOR14LGS		Gasket	Max.30.000km	M10x1.00	12.7mm	16mm	Yes	Yes	10-15Nm
NOR12LGS		Gasket	Max.30.000km or 50 hours	M10x1.00	12.7mm	16mm	Yes	Yes	20-30Nm
NOR14LGS		Gasket	Max.30.000km or 50 hours	M10x1.00	12.7mm	16mm	Yes	Yes	20-30Nm

NOR15LGS		Gasket	Max.30.000km or 50 hours	M10x1.00	12.7mm	16mm	Yes	Yes	20-30Nm
ROR14LGS		Tapered	Max.30.000km or 50 hours	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm
ROR15LGS		Tapered	Max.30.000km	M14x1.25	25mm	16mm	Yes	Yes	10-20Nm

### BRISK - Premium GS

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
AR08GS		Gasket	Max.50 hours	M10x1.00	19mm	16mm	Yes	No	10-15Nm
CR08GS		Gasket	Max.50 hours	M10x1.00	26.5mm	14mm	Yes	No	10-15Nm
DR08GS		Gasket	Max.50 hours	M14x1.25	19mm	16mm	Yes	No	20-30Nm
R10GS		Tapered	Max.50 hours	M14x1.25	25mm	16mm	Yes	No	10-20Nm

### BRISK - Premium ZC/ZS

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
AR08ZS		Gasket	Max.50 hours	M10x1.00	19mm	16mm	Yes	Yes	10-15Nm
AR10ZS		Gasket	Max.50 hours	M10x1.00	19mm	16mm	Yes	Yes	10-15Nm
AR12ZS		Gasket	Max.50 hours	M10x1.00	19mm	16mm	Yes	Yes	10-15Nm
BR08ZS		Gasket	Max.20.000km or 50 hours	M12x1.25	19mm	16mm	Yes	Yes	10-20Nm
BR10ZS		Gasket	Max.20.000km or 50 hours	M12x1.25	19mm	16mm	Yes	Yes	10-20Nm
BR12ZC		Gasket	Max.20.000km or 50 hours	M12x1.25	19mm	16mm	Yes	Yes	10-20Nm
BR14ZC		Gasket	Max.20.000km or 50 hours	M12x1.25	19mm	16mm	Yes	Yes	10-20Nm
DR08ZS		Gasket	Max. 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR10ZC		Gasket	Max. 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR10ZS		Gasket	Max. 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR12ZC		Gasket	Max. 20.000km or 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR12ZS		Gasket	Max. 20.000km or 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR14ZC		Gasket	Max. 20.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DR15ZC		Gasket	Max. 20.000km	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
GR12ZC		Tapered	Max. 20.000km or 50 hours	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR14ZC		Tapered	Max. 20.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
GR15ZC		Tapered	Max. 20.000km	M14x1.25	17.5mm	16mm	Yes	Yes	10-20Nm
L10ZS		Gasket	Max. 50 hours	M14x1.25	21mm	16mm	No	Yes	20-30Nm

LR08ZS		Gasket	Max. 50 hours	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR10ZS		Gasket	Max. 50 hours	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR12ZC		Gasket	Max. 20.000km or 50 hours	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR12ZS		Gasket	Max. 20.000km or 50 hours	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR14ZC		Gasket	Max. 20.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm
LR15ZC		Gasket	Max. 20.000km	M14x1.25	21mm	16mm	Yes	Yes	20-30Nm

### BRISK - Iridium Racing

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
D08IR	0.55	Gasket	Max.45.000km or 50 hours	M14x1.25	19mm	16mm	No	No	20-30Nm
D10IR	0.55	Gasket	Max.45.000km or 50 hours	M14x1.25	19mm	16mm	No	No	20-30Nm
DOR08IR	0.8	Gasket	Max.45.000km or 50 hours	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DOR10IR	0.8	Gasket	Max.45.000km or 50 hours	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DOR12IR	0.8	Gasket	Max.45.000km or 50 hours	M14x1.25	19mm	16mm	Yes	No	20-30Nm
DOR14IR	0.8	Gasket	Max.45.000km or 50 hours	M14x1.25	19mm	16mm	Yes	No	20-30Nm
ER10IR	0.8	Gasket	Max.45.000km or 50 hours	M14x1.25	26.5mm	16mm	Yes	No	20-30Nm

### BRISK - Extra Turbo Racing

Type	Gap	Seat	Replacement	Thread	Reach	Hex	Resistor	Projected	Tightening Torque
DOR08DS	0.65	Gasket	Max.50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR10DS	0.65	Gasket	Max.50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR12DS	0.65	Gasket	Max.20.000km or 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm
DOR14DS	0.65	Gasket	Max.20.000km or 50 hours	M14x1.25	19mm	16mm	Yes	Yes	20-30Nm

